

Vanity Base - 1 Door and 1 Drawer



No shelf

.

Door is hinged left and can be reversed in the field Not drilled for adjustable shelf .

AH 🔳
APC
CFO
FE
PE
RD
RTK
VTK

341/2" HIGH	311/8" HIGH
VB1234H	VB12
VB1534H	VB15
VB1834H	VB18
VB2134H	VB21

Vanity Base Cabinet - 1 Drawer and 1 Door with Wastebasket Pull-Out



- Wastebasket rests in a natural finish wood frame .
- . Wastebasket pull-out features heavy-duty, 100-pound rated CushionClose glides
- · Features one silver plastic 35-quart capacity bin and bag storage tray at rear (not dishwasher safe)
- Decorative hardware strongly recommended

341/2" HIGH VWBB1834H

Vanity Base - 2 Butt Doors and 1 Drawer



- No shelf .
- Not drilled for adjustable shelf .



34½" HIGH	
VB2434H BUTT 🔳	
VB2734H BUTT 🔳	
VB3034H BUTT 🔳	
VB3334H BUTT 🔳	
VB3634H BUTT 🔳	

311/8" HIGH

VB24 BUTT VB27 BUTT VB30 BUTT VB33 BUTT VB36 BUTT

Vanity Full-Height Base - 1 Door



- No shelf
- · Not drilled for adjustable shelf
- Door is hinged left and can be reversed in the field

AH APC CFO FE PE RD RTK VTK

341/2" HIGH

VB1234H FH VB1534H FH VB1834H FH VB2134H FH

Vanity Full-Height Base - 2 Butt Doors



Full-height doors

34½" HIGH VB2434H BUTT FH VB3034H BUTT FH VB3634H BUTT FH

- No shelf
- · Not drilled for adjustable shelf

AH	
APC	
CFO	
FE	
PE	
RD	
RTK	
νтк	

VANITY CABINETS

Vanity Drawer Base - 3 Drawers



- VDB_34H features one standard and two large drawers
- VDB_ features one large and two standard drawers

APC	
CFO	
FE	
PE	
RD	
RTK	
VTK	

34½" HIGH VDB1234H ■

VDB1234H 🔳	
VDB1534H 🔳	
VDB1834H 🔳	
VDB2134H 🔳	
VDB2434H 🔳	

311/8" HIGH

VDB12 VDB15 VDB18 VDB21 VDB24

Vanity Sink Base - 1 Door



No shelf

- Subtract 11/2" from depth and width for available sink bowl . opening - removal of corner blocks may be required
- · Door is hinged left and can be reversed in the field

AH 🔳	
APC	
CFO	
FE	
PE	
RD	
RTK	
VTK	

341/2" HIGH
VSB1534H
VSB1834H
VSB2134H

311/8" HIGH

VSB15 VSB18 VSB21

Vanity Sink Base - 2 Butt Doors



- No shelf
- Subtract 1¹/₂" from depth and width for available sink bowl opening - removal of corner blocks may be required

AH 🔳
APC
CFO
FE
PE
RD
RTK
νтк

341/2" HIGH

203/4" Deep VSB2434H BUTT VSB2734H BUTT VSB3034H BUTT VSB3334H BUTT VSB3634H BUTT

18" Deep VSB241834H BUTT VSB301834H BUTT VSB361834H BUTT 311/8" HIGH

203/4" Deep VSB24 BUTT VSB27 BUTT VSB30 BUTT VSB33 BUTT VSB36 BUTT

18" Deep

VSB3018 BUTT VSB3618 BUTT

VSB2418 BUTT

Vanity Sink Base - 2 Doors



No shelf •

Subtract 11/2" from depth and width for available sink bowl . opening - removal of corner blocks may be required

AH 🗖	l
APC	
CFO	
FE	
PE	
RD	
RTK	
VTK	

341/2" HIGH VSB3934H VSB4234H

311/8" HIGH VSB39

VSB42

Vanity Sink Base - 3 Doors



No shelf

- Subtract $1^{\rm h}\!/_{\rm c}{\rm "}$ from depth and width for available sink bowl
- opening removal of corner blocks may be required
- Hinged as shown can be reversed in the field

AH 🔳	
APC	
CFO	
FE	
PE	
RD	
RTK	
ντκ	

34½" HIGH VSB4834H ■ 311/8" HIGH VSB48

Vanity Sink Base • 4 Butt Doors



 No shelf Subtract 1¹/₂" from de 	pth and each	dimension A for	AH ■ APC
available sink bowl o	penings - rem	noval of corner blocks	CFO
may be required			FE
			PE
			RD
			RTK
			VTK
	А	311/8" HIGH	А
34½" HIGH			
34½" HIGH VSB5434H BUTT ■	27"	VSB54 BUTT	27

Vanity Sink Base - 2 Butt Doors and 2 Drawers



No shelf

- Top drawer on each side of sink bowl opening
- Subtract $1^{1}\!\!2^{\!\prime\prime}$ from depth for available sink bowl opening
- Features two DRB9_ to accommodate sink bowl opening up to 18"

AH 🗖	
APC	
CFO	
FE	
PE	
RD	
RTK	
VTK	

34½" HIGH VAN3634H BUTT ■

31¹/8" HIGH VAN36 BUTT

Vanity Sink Base - 2 Doors and 2 Drawers



	No	shelf
-	140	Shon

- · Top drawer on each side of sink bowl opening .
 - Subtract 11/2" from depth for available sink bowl opening

AH 🔳	
APC	
CFO	
FE	
PE	
RD	
RTK	
VTK	

AH 🔳

APC

CFO

FE

PE RD

RTK VTK

34½" HIGH	А	MAX. SINK OPENING	311/8" HIGH	А	MAX. SINK OPENING
VAN3934H	15"	18"	VAN39	15"	18"
VAN4234H	18"	21"	VAN42	18"	21"

Vanity Sink Base - 3 Doors and 2 Drawers



No shelf

- Top drawer on each side of sink bowl opening .
- Subtract 11/2" from depth for available sink bowl opening .
- Hinged as shown can be reversed in the field .
- . Maximum sink bowl opening is 21" wide

341/2" HIGH VAN4834H

311/8" HIGH VAN48





No shelf .

- Top drawer on each side of sink bowl opening .
- Features a solid back .
- Subtract 1½" from depth for available sink bowl opening .

Maximum sink bowl opening is 33" wide .



34½" HIGH	Α	311/8" HIGH	А
VAN5434H BK BUTT	12"	VAN54 BK BUTT	12"
VAN6034H BK BUTT 🔳	15"	VAN60 BK BUTT	15"

Vanity Combo Sink Base - 1 Door and 2 Drawers



•	No	shelf

- Allow for plumbing placement to clear drawers

- Drawers available on right or left side (please specify)
- Cabinet shown is right indicating drawers on the right side
- of the cabinet

Features a solid back

Subtract 11/2" from depth and overall cabinet width for available sink bowl opening - removal of corner blocks may be required

34½" HIGH	Α	в	31 ¹ /8" HIGH	А	В
20¾" Deep			20¾" Deep		
VSDB2434H BK	12"	12"	VSDB24 BK	12"	12"
VSDB2734H BK 🔳	15"	12"	VSDB27 BK	15"	12"
VSDB3034H BK	18"	12"	VSDB30 BK	18"	12"
VSDB3334H BK 🔳	21"	12"	VSDB33 BK	21"	12"
VSDB3634H BK 🔳	21"	15"	VSDB36 BK	21"	15"
18" Deep			18" Deep		
VSDB241834H BK	12"	12"	VSDB2418 BK	12"	12"
VSDB271834H BK	15"	12"	VSDB2718 BK	15"	12"
VSDB301834H BK	18"	12"	VSDB3018 BK	18"	12"
VSDB331834H BK	21"	12"	VSDB3318 BK	21"	12"
VSDB361834H BK	21"	15"	VSDB3618 BK	21"	15"

Vanity Combo Sink Base - 1 Door and 2 Drawers



No shelf

- Allow for plumbing placement to clear drawers
- Drawers available on right or left side (please specify) Cabinet shown is right indicating drawers on the right side of the cabinet
- Features a solid back
- Subtract 11/2" from depth and overall cabinet width for available sink bowl opening - removal of corner blocks may be required

341/2" HIGH

JANITY CABINETS

AH

APC

CFO

FE

PE

RD

RTK

VTK

AH 🔳

APC

CFO

FE

PE

RD

RTK VTK

VSDB3934H BK

Vanity Combo Sink Base - 2 Butt Doors and 3 Drawers



- No shelf
- · Drawers available on right or left side (please specify)
- Cabinet shown is right indicating drawers on the right side of the cabinet
- Features a solid back
- Maximum sink bowl opening is 281/2" wide
- · Requires off center sink bowl opening

341/2" HIGH

VSDB4234H BK BUTT

311/8" HIGH

VSDB42 BK BUTT

Vanity Combo Sink Base - 2 Butt Doors and 6 Drawers



- No shelf
- Features a solid back
- Subtract 1½" from depth and dimension A for available sink bowl opening

AH 🔳	
APC	
CFO	
FE	
PE	
RD	
RTK	

AH 🔳

APC

CFO

FE

PE

RD RTK

34½" HIGH	Α	В	311/8" HIGH	Α	в
VSDB4834HD BK BUTT	24"	12"	VSDB48D BK BUTT	24"	12"
VSDB5434HD BK BUTT	24"	15"	VSDB54D BK BUTT	24"	15"
VSDB6034HD BK BUTT	30"	15"	VSDB60D BK BUTT	30"	15"

Vanity Combo Sink Base - 4 Butt Doors and 3 Drawers



No shelf

- Features a solid back
- Subtract 1½" from depth and each 24" dimension for available sink bowl openings - removal of corner blocks may be required

34½" HIGH VSDB6034HC BK BUTT ■

34HC BK BUTT

311/8" HIGH VSDB60C BK BUTT

Vanity Sink Base - Vanity Plumbing Skirt



- Features kneehole drawer front refer to door style section
- Removable front access panel attached with four sets of DDF

APC

FE

- Fasteners (DDF FASTENER qty 2) Features plywood sides
- Subtract $1^{1}\!\!\!/_2"$ from width and depth for available sink bowl opening - removal of corner blocks may be required
- Maximum available height inside cabinet for sink bowl is 5"
- Water lines, drains, and P-Trap must be installed at 6" maximum from wall
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials
- Matching toe kick included
- Must be installed between two cabinets or a cabinet and a wall
- · May be used with Vanity Adaptable Sink Base Kit (ASB) order separately

321/2" HIGH

VPS30 UD VPS36 UD

Vanity Adaptable Sink Base Kit



- For use with Vanity Plumbing Skirt (VPS) MUST be ordered separately
- Kit contains:
- » Face frame with hinged butt doors
- » One Tall Filler (S3S396)
- » Four sets of Drawer Front Fasteners (DDF FASTENER qty 2)

Order floor and returns separately (field trimming may be

- » One Sink Floor (FL36)
- » One Hardwood Cleat (HWC 2X4X96)
- » Installation instructions
- Kit must be assembled in the field

A VPS	B DESIRED TOE KICK HEIGHT	C FACE FRAME HEIGHT	D TRIMMED S3S	КІТ
32 ¹ / ₂ "	2"	241/2"	¹³ / ₁₆ "	ASB_34 KIT
32½"	4"	20 1/8"	211/16"	ASB_32 KIT

- 20 5/8" Frame
- ASB3032 KIT ASB3632 KIT

24 1/2" Frame ASB3034 KIT ASB3634 KIT

Vanity Sink Front









3 DOORS



Not trimmable

311/8" HIGH

1 Door
VSF21
2 Butt Doors
VSF24 BUTT
VSF30 BUTT
VSF36 BUTT

2 Doors VSF39 VSF42 3 Doors VSF48



311/8

Valet Cabinet - 2 Butt Doors



- Matching interior standard
- Flush sides with no face frame or 1/4" reveals .
- Bottom opening: 221/2" x 107/8" .
- . Features a fixed shelf
- Sides and bottom shelf feature 3/4" engineered wood veneered on both sides

VC2436 BUTT

Medicine Cabinet - 1 Door



MC1530 Shown



- · Two adjustable engineered wood shelves
- Surface or recess mount .
- MCM1530 features a mirrored door
- For surface mount installation, trim and apply WEP30 (order . separately) to match finish on exterior sides to cabinet frame
- Pewter and Linen (Painted and Duraform) door styles feature Matching Interior standard
- Not available with CushionClose hinges

28½" HIGH	RECESS MOUNT CUTOUT WIDTH	RECESS MOUNT CUTOUT HEIGHT
MC1530	14 ¹ ⁄2"	28 ¹ /2"
MCM1530	14½"	28½"

Tri-View Mirror - 3 Doors NEW! UPDATE



- UPDATE: Features new shaker style frame
- . Features one large opening with two left hinged doors and one small opening with a right hinged door - can be flipped in the field
- Six adjustable shelves (3 per section)
- Surface or recess mount .
- For surface mount installation, trim and apply WEP30 (order separately) to match finish on exterior sides to cabinet frame
- Chrome hardware
- Pewter and Linen (Painted and Duraform) door styles . feature Matching Interior standard
- Not available with CushionClose hinges

	OVERALL WIDTH	OVERALL HEIGHT		RECESS MOUNT CUTOUT HEIGHT
TV3030	30"	30 ¹ /8"	28 ¹ /2"	28½"
TV3630	36"	30 1/8"	34½"	28½"

Kneehole Drawer Cabinet • 1 Drawer



- Designed for desk or vanity application
- Field trimmable in height to 4³/₄"
- Field trimmable in depth to 18" or available with RD-20 through RD-12
- Drawer front complements door style refer to door style section

Α	В	MAX. TRIM
27"	17 ³ ⁄4"	21" (3" each side)
33"	23 ³ /4"	27" (3" each side)
36"	29 ³ ⁄4"	33" (1½" each side)
	27" 33"	27" 17 ³ / ₄ " 33" 23 ³ / ₄ "

RD

APC

CFO

RD 🔳

FE

PE

Furniture Drawer Cabinet - 1 Drawer



6" HIGH

6" HIGH • 1 DRAWER

12" Deep	24" Deep
FD121206	FD122406
FD151206	FD152406
FD181206	FD182406
FD211206	FD212406
FD241206	FD242406
FD271206	FD272406
FD301206	FD302406
FD331206	FD332406
FD361206	FD362406

Desk End Panel



Stainless Tilt-Out Tray Kit



- 6" high features one standard drawer and 12" high features one large drawer
- 24" deep Furniture Drawer cabinets are only available with RD-23 through RD-13
- · Bottom of cabinet frame must be fully supported

12" HIGH • 1 DRAWER

12" Deep	24" Deep
FD121212	FD122412
FD151212	FD152412
FD181212	FD182412
FD211212	FD212412
FD241212	FD242412
FD271212	FD272412
FD301212	FD302412
FD331212	FD332412
FD361212	FD362412

 All door styles feature ³/₄" veneered engineered wood finished to match cabinet box exterior on both sides

- Recommend QM8 be ordered for installation to ensure proper attachment to wall
- Field trimmable
- Edge banded on front

DEP

· Field installation accessory

- Kit features tray and one pair of scissor hinges .
- For use on existing drawer panels for 20 3/4" or 18" deep vanity cabinets
- Tilt-out hinges install inside of frame opening and require 1 1/4" of clearance . per side

STO TRAY 11	STO TRAY 14	STO TRAY 22
VSB18	VSB21	VSB30 BUTT
VSB48 ♦	VSB24 (BUTT)	VSB33 BUTT
VAN48	VSB27 BUTT	VSB36 BUTT
VSDB30 BK	VSDB33 BUTT* ■	VAN54 BK BUTT
VSDB39 BK 🔺	VSDB36 BUTT* ■	VAN60 BK BUTT
	VSDB39	VSDB42 BK BUTT
Above Doors Only	VSDB48D BK BUTT	VSDB60D BK BUTT
	VSDB54D BK BUTT	VSB60 BUTT (2 required)
 Above Center Doors Only 	VSB42 (2 required)	
Above Drawers Only	VSB54 BUTT (2 required)	
	VSDB60C BK BUTT (2 required)	
	VSB39 (2 required)	

*Vertical frame rail continues behind drawer front, tilt-out tray only placable above door

STO TRAY 11		
STO TRAY 14		
STO TRAY 22		

Δ

11 ½" 14 1⁄2" 22"

Vanity Linen Cabinet



Vanity Linen Cabinet - Adjustable Shelves



- Shelving and optional interior accessories may be ordered separately (refer to vanity linen cabinet accessories for details)
- Cabinet backs are pre-drilled to accept up to four Deep Roll-Out Trays in lower section
- Two door cabinets must be ordered hinged left or right
 Specialty Door cabinets (SD) feature Matching Interior
- standard and require a specialty door selection
 Bottom doors will have a center rail for select door styles refer to door style section



4 BUTT DOORS

VLC242184 BUTT

APC

CFO

MI 🔳

FE

PE

RD

APC

FE

PE

RD

APC

MI

FE

PE

RD

MI 🔳

- Features one full-depth adjustable shelf in top section and four full-depth adjustable shelves in lower section
- All shelving packaged separately for field installation
- Two door cabinets must be ordered hinged left or right
- Specialty Door cabinets (SD) feature Matching Interior
- standard and require a specialty door selection
 Bottom doors have a center rail for select door styles refer to door style section

2 DOORS VLC122184 AS

VLC152184 AS VLC182184 AS VLC122184 AS SD VLC152184 AS SD VLC152184 AS SD VLC182184 AS SD

4 BUTT DOORS

VLC242184 AS BUTT ■ VLC242184 AS BUTT SD

Vanity Linen Cabinet - Deep Roll-Out Trays



- Features one full-depth adjustable shelf in top section and four Deep Roll-Out Trays in lower section
- Adjustable shelf and Deep Roll-Out Trays packaged separately
- Two door cabinets must be ordered hinged left or right
- Specialty Door cabinets (SD) feature Matching Interior
- standard and require a specialty door selection
 Bottom doors have a center rail for select door styles refer to door style section

2 DOORS

VLC122184 4ROT VLC152184 4ROT VLC152184 4ROT VLC182184 4ROT VLC122184 4ROT VLC122184 4ROT SD VLC152184 4ROT SD VLC182184 4ROT SD

4 BUTT DOORS

VLC242184 4ROT BUTT ■ VLC242184 4ROT BUTT SD

\mathbf{S}	
4	
-	
0	
\leq	
-	

Vanity Linen Cabinet - Adjustable Shelves



- Field installation accessory
- ³/₄" engineered wood in a natural finish .
- Edge banded on front edge only
- CLIP LOCK shelf rests included .

ADJUSTABLE SHELF	4 PACK SHELF KIT
S1221	SK1221
S1521	SK1521
S1821	SK1821
S2421	SK2421

APC

МІ

RD

RD

Vanity Linen Cabinet - Deep Roll-Out Trays





•	Field	installation	accessory
---	-------	--------------	-----------

- Natural finish dovetail drawer with engineered wood bottom
 Includes tray, all glide hardware and installation instructions

SINGLE DEEP ROLL-OUT TRAY KIT	4 PACK DEEP ROLL-OUT TRAY KIT	А
DROT1221	DROT1221-4K	7 3⁄4"
DROT1521	DROT1521-4K	10 3⁄4"
DROT1821	DROT1821-4K	13 3⁄4"
DROT2421	DROT2421-4K	19 3⁄4"