


Utility Cabinets



Utility cabinets range in size from 12" to 36" wide, 84" to 96" high and 12" to 24" deep.

Single door cathedral Utility cabinets must be ordered hinged left or right. Single door square Utility cabinets are hinged left and can be reversed in the field.


Cathedral and specialty doors will apply to top doors only. Bottom doors will be square.

All Utility cabinet bottom doors will have a center rail with the exception of all Irvington, Sydney and Duraform door styles.

Inset Toe Kick construction requires BTK8 matching toe kick – must be ordered separately.

See page 45 for Ceiling Height Requirements information.

Utility Cabinet
12" Deep • 2 Doors
No Shelves



	A
84" High	26 7/8"
90" High	32 7/8"
93" High	35 1/4"
96" High	38 7/8"


- UT1212 X 84
- UT1512 X 84
- UT1812 X 84
- UT1512 X 90
- UT1812 X 90
- UT1512 X 93
- UT1812 X 93
- UT1512 X 96
- UT1812 X 96

APC
CFO
FE
MI
PE
RD

- UT1212 X 84 SD
- UT1512 X 84 SD
- UT1812 X 84 SD
- UT1512 X 90 SD
- UT1812 X 90 SD
- UT1512 X 93 SD
- UT1812 X 93 SD
- UT1512 X 96 SD
- UT1812 X 96 SD

- Shelving and optional interior accessories may be ordered separately – refer to Utility Cabinet Accessories for details
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
12" Deep • 4 Butt Doors
No Shelves




	A
84" High	26 7/8"
90" High	32 7/8"
93" High	35 1/4"
96" High	38 7/8"

- UT2412 X 84 BUTT
- UT2412 X 90 BUTT
- UT2412 X 93 BUTT
- UT2412 X 96 BUTT
- UT2412 X 84 BUTT SD
- UT2412 X 90 BUTT SD
- UT2412 X 93 BUTT SD
- UT2412 X 96 BUTT SD

APC
CFO
FE
MI
PE
RD

- Shelving and optional interior accessories may be ordered separately – refer to Utility Cabinet Accessories for details
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
12" Deep • 2 Doors
With Adjustable Shelves



	Number Shelves Top Section	Number Shelves Lower Section
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4


- UT1212 X 84 AS
- UT1512 X 84 AS
- UT1812 X 84 AS
- UT1512 X 90 AS
- UT1812 X 90 AS
- UT1512 X 93 AS
- UT1812 X 93 AS
- UT1512 X 96 AS
- UT1812 X 96 AS

APC
FE
MI
PE
RD

- UT1212 X 84 AS SD
- UT1512 X 84 AS SD
- UT1812 X 84 AS SD
- UT1512 X 90 AS SD
- UT1812 X 90 AS SD
- UT1512 X 93 AS SD
- UT1812 X 93 AS SD
- UT1512 X 96 AS SD
- UT1812 X 96 AS SD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
12" Deep • 4 Butt Doors
With Adjustable Shelves




	Number Shelves Top Section	Number Shelves Lower Section
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4

- UT2412 X 84 AS BUTT
- UT2412 X 90 AS BUTT
- UT2412 X 93 AS BUTT
- UT2412 X 96 AS BUTT
- UT2412 X 84 AS BUTT SD
- UT2412 X 90 AS BUTT SD
- UT2412 X 93 AS BUTT SD
- UT2412 X 96 AS BUTT SD

APC
FE
MI
PE
RD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 2 Doors
No Shelves



	A
84" High	26 7/8"
90" High	32 7/8"
93" High	35 1/4"
96" High	38 7/8"


- UT1224 X 84
- UT1524 X 84
- UT1824 X 84
- UT1524 X 90
- UT1824 X 90
- UT1524 X 93
- UT1824 X 93
- UT1524 X 96
- UT1824 X 96

APC
CFO
FE
MI
PE
RD

- UT1224 X 84 SD
- UT1524 X 84 SD
- UT1824 X 84 SD
- UT1524 X 90 SD
- UT1824 X 90 SD
- UT1524 X 93 SD
- UT1824 X 93 SD
- UT1524 X 96 SD
- UT1824 X 96 SD

- Shelving and optional interior accessories may be ordered separately – refer to Utility Cabinet Accessories for details
- Cabinet backs are pre-drilled to accept up to four Deep Roll Out Trays in lower section
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 4 Butt Doors
No Shelves




	A
84" High	26 1/8"
90" High	32 1/8"
93" High	35 1/8"
96" High	38 1/8"

- UT2424 X 84 BUTT
- UT3024 X 84 BUTT
- UT3624 X 84 BUTT
- UT2424 X 90 BUTT
- UT3024 X 90 BUTT
- UT3624 X 90 BUTT
- UT2424 X 93 BUTT
- UT3024 X 93 BUTT
- UT3624 X 93 BUTT
- UT2424 X 96 BUTT
- UT3024 X 96 BUTT
- UT3624 X 96 BUTT
- UT2424 X 84 BUTT SD
- UT3024 X 84 BUTT SD
- UT3624 X 84 BUTT SD
- UT2424 X 90 BUTT SD
- UT3024 X 90 BUTT SD
- UT3624 X 90 BUTT SD
- UT2424 X 93 BUTT SD
- UT3024 X 93 BUTT SD
- UT3624 X 93 BUTT SD
- UT2424 X 96 BUTT SD
- UT3024 X 96 BUTT SD
- UT3624 X 96 BUTT SD

- APC
- CFO
- FE
- MI
- PE
- RD

- Shelving and optional interior accessories may be ordered separately – refer to Utility Cabinet Accessories for details
- Cabinet backs are pre-drilled to accept up to four Deep Roll Out Trays in lower section
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 2 Doors
With Adjustable Shelves




	Number Shelves Top Section	Number Shelves Lower Section
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4

- UT1224 X 84 AS
- UT1524 X 84 AS
- UT1824 X 84 AS
- UT1524 X 90 AS
- UT1824 X 90 AS
- UT1524 X 93 AS
- UT1824 X 93 AS
- UT1524 X 96 AS
- UT1824 X 96 AS
- UT1224 X 84 AS SD
- UT1524 X 84 AS SD
- UT1824 X 84 AS SD
- UT1524 X 90 AS SD
- UT1824 X 90 AS SD
- UT1524 X 93 AS SD
- UT1824 X 93 AS SD
- UT1524 X 96 AS SD
- UT1824 X 96 AS SD

- APC
- FE
- MI
- PE
- RD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 4 Butt Doors
With Adjustable Shelves




	Number Shelves Top Section	Number Shelves Lower Section
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4

- UT2424 X 84 AS BUTT
- UT3024 X 84 AS BUTT
- UT3624 X 84 AS BUTT
- UT2424 X 90 AS BUTT
- UT3024 X 90 AS BUTT
- UT3624 X 90 AS BUTT
- UT2424 X 93 AS BUTT
- UT3024 X 93 AS BUTT
- UT3624 X 93 AS BUTT
- UT2424 X 96 AS BUTT
- UT3024 X 96 AS BUTT
- UT3624 X 96 AS BUTT
- UT2424 X 84 AS BUTT SD
- UT3024 X 84 AS BUTT SD
- UT3624 X 84 AS BUTT SD
- UT2424 X 90 AS BUTT SD
- UT3024 X 90 AS BUTT SD
- UT3624 X 90 AS BUTT SD
- UT2424 X 93 AS BUTT SD
- UT3024 X 93 AS BUTT SD
- UT3624 X 93 AS BUTT SD
- UT2424 X 96 AS BUTT SD
- UT3024 X 96 AS BUTT SD
- UT3624 X 96 AS BUTT SD

- APC
- FE
- MI
- PE
- RD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 2 Doors
With Deep Roll Out Trays




	Number Shelves Top Section	Number Deep Roll Out Trays
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4

- UT1224 X 84 4ROT
- UT1524 X 84 4ROT
- UT1824 X 84 4ROT
- UT1524 X 90 4ROT
- UT1824 X 90 4ROT
- UT1524 X 93 4ROT
- UT1824 X 93 4ROT
- UT1524 X 96 4ROT
- UT1824 X 96 4ROT
- UT1224 X 84 4ROT SD
- UT1524 X 84 4ROT SD
- UT1824 X 84 4ROT SD
- UT1524 X 90 4ROT SD
- UT1824 X 90 4ROT SD
- UT1524 X 93 4ROT SD
- UT1824 X 93 4ROT SD
- UT1524 X 96 4ROT SD
- UT1824 X 96 4ROT SD

- APC
- FE
- MI
- PE
- RD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving and Deep Roll Out Trays packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 4 Butt Doors
With Deep Roll Out Trays




	Number Shelves Top Section	Number Deep Roll Out Trays
84" High	1	4
90" High	2	4
93" High	3	4
96" High	3	4

- UT2424 X 84 4ROT BUTT
- UT3024 X 84 4ROT BUTT
- UT3624 X 84 4ROT BUTT
- UT2424 X 90 4ROT BUTT
- UT3024 X 90 4ROT BUTT
- UT3624 X 90 4ROT BUTT
- UT2424 X 93 4ROT BUTT
- UT3024 X 93 4ROT BUTT
- UT3624 X 93 4ROT BUTT
- UT2424 X 96 4ROT BUTT
- UT3024 X 96 4ROT BUTT
- UT3624 X 96 4ROT BUTT
- UT2424 X 84 4ROT BUTT SD
- UT3024 X 84 4ROT BUTT SD
- UT3624 X 84 4ROT BUTT SD
- UT2424 X 90 4ROT BUTT SD
- UT3024 X 90 4ROT BUTT SD
- UT3624 X 90 4ROT BUTT SD
- UT2424 X 93 4ROT BUTT SD
- UT3024 X 93 4ROT BUTT SD
- UT3624 X 93 4ROT BUTT SD
- UT2424 X 96 4ROT BUTT SD
- UT3024 X 96 4ROT BUTT SD
- UT3624 X 96 4ROT BUTT SD

- APC
- FE
- MI
- PE
- RD

- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- All shelving and Deep Roll Out Trays packaged separately for field installation
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet

Utility Cabinet
24" Deep • 4 Butt Doors
With Pantry Storage




	Number Shelves Top Section
84" High	1
90" High	2
93" High	3
96" High	3

- UT3624 X 84 PCDS BUTT
- UT3624 X 90 PCDS BUTT
- UT3624 X 93 PCDS BUTT
- UT3624 X 96 PCDS BUTT
- UT3624 X 84 PCDS BUTT SD
- UT3624 X 90 PCDS BUTT SD
- UT3624 X 93 PCDS BUTT SD
- UT3624 X 96 PCDS BUTT SD

- APC
- FE
- MI
- PE

- Accessories and shelving packaged separately for field installation and include:
 - Pantry Swing Out Kit (PCSK36)
 - Two Pantry Door Shelf Kits (PDSK18)
 - Utility Cabinet Shelf and Pilaster Kit (PSK36)
- Full-depth adjustable shelves are 3/4" engineered wood and edge banded on front edge only
- 4" inset toe kick assembly shipped inside 93" and 96" high cabinets - seam will be visible between toe kick box and side of cabinet
- Minimum filler width of 4 1/2" recommended for installation of this cabinet next to deeper adjacent objects including cabinets, walls, appliances and countertops

Oven Cabinets



Oven cabinets range in size from 27" to 33" wide, from 84" to 96" high and are 24" deep.

Inset toe kick construction requires BTK8 matching toe kick – must be ordered separately.

Oven cabinets have 3/8" wide stiles and face-mounted hinges. All oven cabinets feature a solid back.


Shelves are full-depth 3/4" engineered wood and edge banded on front edge only.

Shelves and accessories are packaged separately for field installation.

4" inset toe kick assembly shipped inside 93" and 96" high oven cabinets -- all 33" wide x 93" high oven toe kicks ship as two pieces.

See page 45 for Ceiling Height Requirements information.

Single Oven Cabinet
4 Butt Doors




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4
3	3	4	5	5

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT	20 3/4"	25"	22 1/8"	37 3/8"
OVS3084 BUTT	23 3/4"	28"	22 1/8"	37 3/8"
OVS3384 BUTT	26 3/4"	31"	22 1/8"	37 3/8"
OVS2790 AS BUTT	20 3/4"	25"	21 3/4"	37"
OVS3090 AS BUTT	23 3/4"	28"	21 3/4"	37"
OVS3390 AS BUTT	26 3/4"	31"	21 3/4"	37"
OVS2793 AS BUTT	20 3/4"	25"	22 1/8"	37 3/8"
OVS3093 AS BUTT	23 3/4"	28"	22 1/8"	37 3/8"
OVS3393 AS BUTT	26 3/4"	31"	22 1/8"	37 3/8"
OVS2796 AS BUTT	20 3/4"	25"	22 1/8"	37 3/8"
OVS3096 AS BUTT	23 3/4"	28"	22 1/8"	37 3/8"
OVS3396 AS BUTT	26 3/4"	31"	22 1/8"	37 3/8"

OVS2784 BUTT	APC
OVS3084 BUTT	CFO
OVS3384 BUTT	FE
	PE
	RD
OVS2790 AS BUTT	
OVS3090 AS BUTT	
OVS3390 AS BUTT	
OVS2793 AS BUTT	
OVS3093 AS BUTT	
OVS3393 AS BUTT	
OVS2796 AS BUTT	
OVS3096 AS BUTT	
OVS3396 AS BUTT	

- Order Oven Support Shelf (OSS_) separately
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
4 Butt Doors
1 Pot & Pan Organizer




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4
3	3	4	5	5

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT BPPO	20 3/4"	25"	22 1/8"	37 3/8"
OVS3084 BUTT BPPO	23 3/4"	28"	22 1/8"	37 3/8"
OVS3384 BUTT BPPO	26 3/4"	31"	22 1/8"	37 3/8"
OVS2790 BUTT BPPO	20 3/4"	25"	21 3/4"	37"
OVS3090 BUTT BPPO	23 3/4"	28"	21 3/4"	37"
OVS3390 BUTT BPPO	26 3/4"	31"	21 3/4"	37"
OVS2793 BUTT BPPO	20 3/4"	25"	22 1/8"	37 3/8"
OVS3093 BUTT BPPO	23 3/4"	28"	22 1/8"	37 3/8"
OVS3393 BUTT BPPO	26 3/4"	31"	22 1/8"	37 3/8"
OVS2796 BUTT BPPO	20 3/4"	25"	22 1/8"	37 3/8"
OVS3096 BUTT BPPO	23 3/4"	28"	22 1/8"	37 3/8"
OVS3396 BUTT BPPO	26 3/4"	31"	22 1/8"	37 3/8"

OVS2784 BUTT BPPO	APC
OVS3084 BUTT BPPO	FE
OVS3384 BUTT BPPO	PE
OVS2790 BUTT BPPO	
OVS3090 BUTT BPPO	
OVS3390 BUTT BPPO	
OVS2793 BUTT BPPO	
OVS3093 BUTT BPPO	
OVS3393 BUTT BPPO	
OVS2796 BUTT BPPO	
OVS3096 BUTT BPPO	
OVS3396 BUTT BPPO	

- Order Oven Support Shelf (OSS_) separately
- Organizer in natural finish solid wood and wood veneer construction
- Organizer top shelf measures 6 3/16" deep
- Organizer middle shelf measures 9 3/4" deep
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
4 Butt Doors • 1 Drawer




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4
3	3	4	5	5

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 1DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3084 BUTT 1DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3384 BUTT 1DWR	26 3/4"	31"	16 1/8"	31 3/8"
OVS2790 AS BUTT 1DWR	20 3/4"	25"	15 3/4"	31"
OVS3090 AS BUTT 1DWR	23 3/4"	28"	15 3/4"	31"
OVS3390 AS BUTT 1DWR	26 3/4"	31"	15 3/4"	31"
OVS2793 AS BUTT 1DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3093 AS BUTT 1DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3393 AS BUTT 1DWR	26 3/4"	31"	16 1/8"	31 3/8"
OVS2796 AS BUTT 1DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3096 AS BUTT 1DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3396 AS BUTT 1DWR	26 3/4"	31"	16 1/8"	31 3/8"

OVS2784 BUTT 1DWR	APC
OVS3084 BUTT 1DWR	CFO
OVS3384 BUTT 1DWR	FE
	PE
	RD
OVS2790 AS BUTT 1DWR	
OVS3090 AS BUTT 1DWR	
OVS3390 AS BUTT 1DWR	
OVS2793 AS BUTT 1DWR	
OVS3093 AS BUTT 1DWR	
OVS3393 AS BUTT 1DWR	
OVS2796 AS BUTT 1DWR	
OVS3096 AS BUTT 1DWR	
OVS3396 AS BUTT 1DWR	

- Order Oven Support Shelf (OSS_) separately
- One standard drawer
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
4 Butt Doors • 1 Drawer
1 Pot & Pan Organizer




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4
3	3	4	5	5

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 1DWR BPPO	20 3/4"	25"	16 1/8"	31 3/8"
OVS3084 BUTT 1DWR BPPO	23 3/4"	28"	16 1/8"	31 3/8"
OVS3384 BUTT 1DWR BPPO	26 3/4"	31"	16 1/8"	31 3/8"
OVS2790 BUTT 1DWR BPPO	20 3/4"	25"	15 3/4"	31"
OVS3090 BUTT 1DWR BPPO	23 3/4"	28"	15 3/4"	31"
OVS3390 BUTT 1DWR BPPO	26 3/4"	31"	15 3/4"	31"
OVS2793 BUTT 1DWR BPPO	20 3/4"	25"	16 1/8"	31 3/8"
OVS3093 BUTT 1DWR BPPO	23 3/4"	28"	16 1/8"	31 3/8"
OVS3393 BUTT 1DWR BPPO	26 3/4"	31"	16 1/8"	31 3/8"
OVS2796 BUTT 1DWR BPPO	20 3/4"	25"	16 1/8"	31 3/8"
OVS3096 BUTT 1DWR BPPO	23 3/4"	28"	16 1/8"	31 3/8"
OVS3396 BUTT 1DWR BPPO	26 3/4"	31"	16 1/8"	31 3/8"

OVS2784 BUTT 1DWR BPPO	APC
OVS3084 BUTT 1DWR BPPO	FE
OVS3384 BUTT 1DWR BPPO	PE
OVS2790 BUTT 1DWR BPPO	
OVS3090 BUTT 1DWR BPPO	
OVS3390 BUTT 1DWR BPPO	
OVS2793 BUTT 1DWR BPPO	
OVS3093 BUTT 1DWR BPPO	
OVS3393 BUTT 1DWR BPPO	
OVS2796 BUTT 1DWR BPPO	
OVS3096 BUTT 1DWR BPPO	
OVS3396 BUTT 1DWR BPPO	

- Order Oven Support Shelf (OSS_) separately
- One standard drawer
- Organizer in natural finish solid wood and wood veneer construction
- Organizer top shelf measures 6 3/16" deep
- Organizer middle shelf measures 9 3/4" deep
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
4 Butt Doors • 2 Drawers




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4
3	3	4	5	5

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 2DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3084 BUTT 2DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3384 BUTT 2DWR	26 3/4"	31"	10 1/8"	25 3/8"
OVS2790 AS BUTT 2DWR	20 3/4"	25"	9 3/4"	25"
OVS3090 AS BUTT 2DWR	23 3/4"	28"	9 3/4"	25"
OVS3390 AS BUTT 2DWR	26 3/4"	31"	9 3/4"	25"
OVS2793 AS BUTT 2DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3093 AS BUTT 2DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3393 AS BUTT 2DWR	26 3/4"	31"	10 1/8"	25 3/8"
OVS2796 AS BUTT 2DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3096 AS BUTT 2DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3396 AS BUTT 2DWR	26 3/4"	31"	10 1/8"	25 3/8"

OVS2784 BUTT 2DWR	APC
OVS3084 BUTT 2DWR	CFO
OVS3384 BUTT 2DWR	FE
	PE
	RD
OVS2790 AS BUTT 2DWR	
OVS3090 AS BUTT 2DWR	
OVS3390 AS BUTT 2DWR	
OVS2793 AS BUTT 2DWR	
OVS3093 AS BUTT 2DWR	
OVS3393 AS BUTT 2DWR	
OVS2796 AS BUTT 2DWR	
OVS3096 AS BUTT 2DWR	
OVS3396 AS BUTT 2DWR	

- Order Oven Support Shelf (OSS_) separately
- Two standard drawers
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
4 Butt Doors • 2 Drawers
1 Pot & Pan Organizer




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 2DWR BPPO	20 3/4"	25"	10 1/8"	25 3/8"
OVS3084 BUTT 2DWR BPPO	23 3/4"	28"	10 1/8"	25 3/8"
OVS3384 BUTT 2DWR BPPO	26 3/4"	31"	10 1/8"	25 3/8"
OVS2790 BUTT 2DWR BPPO	20 3/4"	25"	9 3/4"	25"
OVS3090 BUTT 2DWR BPPO	23 3/4"	28"	9 3/4"	25"
OVS3390 BUTT 2DWR BPPO	26 3/4"	31"	9 3/4"	25"
OVS2793 BUTT 2DWR BPPO	20 3/4"	25"	10 1/8"	25 3/8"
OVS3093 BUTT 2DWR BPPO	23 3/4"	28"	10 1/8"	25 3/8"
OVS3393 BUTT 2DWR BPPO	26 3/4"	31"	10 1/8"	25 3/8"
OVS2796 BUTT 2DWR BPPO	20 3/4"	25"	10 1/8"	25 3/8"
OVS3096 BUTT 2DWR BPPO	23 3/4"	28"	10 1/8"	25 3/8"
OVS3396 BUTT 2DWR BPPO	26 3/4"	31"	10 1/8"	25 3/8"

APC
OVS2784 BUTT 2DWR BPPO
OVS3084 BUTT 2DWR BPPO
OVS3384 BUTT 2DWR BPPO
OVS2790 BUTT 2DWR BPPO
OVS3090 BUTT 2DWR BPPO
OVS3390 BUTT 2DWR BPPO
OVS2793 BUTT 2DWR BPPO
OVS3093 BUTT 2DWR BPPO
OVS3393 BUTT 2DWR BPPO
OVS2796 BUTT 2DWR BPPO
OVS3096 BUTT 2DWR BPPO
OVS3396 BUTT 2DWR BPPO
FE
PE

- Order Oven Support Shelf (OSS_) separately
- Two standard drawers
- Organizer in natural finish solid wood and wood veneer construction
- Organizer top shelf measures 6 3/8" deep
- Organizer middle shelf measures 9 3/4" deep
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
2 Butt Doors • 2 Large Drawers




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 2DDWR	20 3/4"	25"	22 1/8"	37 3/8"
OVS3084 BUTT 2DDWR	23 3/4"	28"	22 1/8"	37 3/8"
OVS3384 BUTT 2DDWR	26 3/4"	31"	22 1/8"	37 3/8"
OVS2790 AS BUTT 2DDWR	20 3/4"	25"	21 3/4"	37"
OVS3090 AS BUTT 2DDWR	23 3/4"	28"	21 3/4"	37"
OVS3390 AS BUTT 2DDWR	26 3/4"	31"	21 3/4"	37"
OVS2793 AS BUTT 2DDWR	20 3/4"	25"	22 1/8"	37 3/8"
OVS3093 AS BUTT 2DDWR	23 3/4"	28"	22 1/8"	37 3/8"
OVS3393 AS BUTT 2DDWR	26 3/4"	31"	22 1/8"	37 3/8"
OVS2796 AS BUTT 2DDWR	20 3/4"	25"	22 1/8"	37 3/8"
OVS3096 AS BUTT 2DDWR	23 3/4"	28"	22 1/8"	37 3/8"
OVS3396 AS BUTT 2DDWR	26 3/4"	31"	22 1/8"	37 3/8"

APC
OVS2784 BUTT 2DDWR
OVS3084 BUTT 2DDWR
OVS3384 BUTT 2DDWR
OVS2790 AS BUTT 2DDWR
OVS3090 AS BUTT 2DDWR
OVS3390 AS BUTT 2DDWR
OVS2793 AS BUTT 2DDWR
OVS3093 AS BUTT 2DDWR
OVS3393 AS BUTT 2DDWR
OVS2796 AS BUTT 2DDWR
OVS3096 AS BUTT 2DDWR
OVS3396 AS BUTT 2DDWR
CFO
FE
PE
RD

- Order Oven Support Shelf (OSS_) separately
- Two large drawers
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
2 Butt Doors • 3 Drawers




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 3DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3084 BUTT 3DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3384 BUTT 3DWR	26 3/4"	31"	16 1/8"	31 3/8"
OVS2790 AS BUTT 3DWR	20 3/4"	25"	15 3/4"	31"
OVS3090 AS BUTT 3DWR	23 3/4"	28"	15 3/4"	31"
OVS3390 AS BUTT 3DWR	26 3/4"	31"	15 3/4"	31"
OVS2793 AS BUTT 3DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3093 AS BUTT 3DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3393 AS BUTT 3DWR	26 3/4"	31"	16 1/8"	31 3/8"
OVS2796 AS BUTT 3DWR	20 3/4"	25"	16 1/8"	31 3/8"
OVS3096 AS BUTT 3DWR	23 3/4"	28"	16 1/8"	31 3/8"
OVS3396 AS BUTT 3DWR	26 3/4"	31"	16 1/8"	31 3/8"

APC
OVS2784 BUTT 3DWR
OVS3084 BUTT 3DWR
OVS3384 BUTT 3DWR
OVS2790 AS BUTT 3DWR
OVS3090 AS BUTT 3DWR
OVS3390 AS BUTT 3DWR
OVS2793 AS BUTT 3DWR
OVS3093 AS BUTT 3DWR
OVS3393 AS BUTT 3DWR
OVS2796 AS BUTT 3DWR
OVS3096 AS BUTT 3DWR
OVS3396 AS BUTT 3DWR
CFO
FE
PE
RD

- Order Oven Support Shelf (OSS_) separately
- One standard and two large drawers
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Single Oven Cabinet
2 Butt Doors • 4 Drawers




Number Shelves	84" High	90" High	93" High	96" High
0	0	1	2	2
1	1	2	3	3
2	2	3	4	4

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVS2784 BUTT 4DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3084 BUTT 4DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3384 BUTT 4DWR	26 3/4"	31"	10 1/8"	25 3/8"
OVS2790 AS BUTT 4DWR	20 3/4"	25"	9 3/4"	25"
OVS3090 AS BUTT 4DWR	23 3/4"	28"	9 3/4"	25"
OVS3390 AS BUTT 4DWR	26 3/4"	31"	9 3/4"	25"
OVS2793 AS BUTT 4DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3093 AS BUTT 4DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3393 AS BUTT 4DWR	26 3/4"	31"	10 1/8"	25 3/8"
OVS2796 AS BUTT 4DWR	20 3/4"	25"	10 1/8"	25 3/8"
OVS3096 AS BUTT 4DWR	23 3/4"	28"	10 1/8"	25 3/8"
OVS3396 AS BUTT 4DWR	26 3/4"	31"	10 1/8"	25 3/8"

APC
OVS2784 BUTT 4DWR
OVS3084 BUTT 4DWR
OVS3384 BUTT 4DWR
OVS2790 AS BUTT 4DWR
OVS3090 AS BUTT 4DWR
OVS3390 AS BUTT 4DWR
OVS2793 AS BUTT 4DWR
OVS3093 AS BUTT 4DWR
OVS3393 AS BUTT 4DWR
OVS2796 AS BUTT 4DWR
OVS3096 AS BUTT 4DWR
OVS3396 AS BUTT 4DWR
CFO
FE
PE
RD

- Order Oven Support Shelf (OSS_) separately
- Two standard and two large drawers
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Double Oven Cabinet
2 Butt Doors • No Drawer



Number Shelves

84" High	0
90" High	1
93" High	2
96" High	2

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVD2784 BUTT NDWR	20 3/4"	25"	52 1/8"	60 1/4"
OVD3084 BUTT NDWR	23 3/4"	28"	52 1/8"	60 1/4"
OVD3384 BUTT NDWR	26 3/4"	31"	52 1/8"	60 1/4"

OVD2790 AS BUTT NDWR	20 3/4"	25"	52 1/8"	59 7/8"
OVD3090 AS BUTT NDWR	23 3/4"	28"	52 1/8"	59 7/8"
OVD3390 AS BUTT NDWR	26 3/4"	31"	52 1/8"	59 7/8"

OVD2793 AS BUTT NDWR	20 3/4"	25"	52 1/8"	60 1/4"
OVD3093 AS BUTT NDWR	23 3/4"	28"	52 1/8"	60 1/4"
OVD3393 AS BUTT NDWR	26 3/4"	31"	52 1/8"	60 1/4"

OVD2796 AS BUTT NDWR	20 3/4"	25"	52 1/8"	60 1/4"
OVD3096 AS BUTT NDWR	23 3/4"	28"	52 1/8"	60 1/4"
OVD3396 AS BUTT NDWR	26 3/4"	31"	52 1/8"	60 1/4"

OVD2784 BUTT NDWR	APC
OVD3084 BUTT NDWR	CFO
OVD3384 BUTT NDWR	FE
	RD


OVD2790 AS BUTT NDWR	
OVD3090 AS BUTT NDWR	
OVD3390 AS BUTT NDWR	

OVD2793 AS BUTT NDWR	
OVD3093 AS BUTT NDWR	
OVD3393 AS BUTT NDWR	

OVD2796 AS BUTT NDWR	
OVD3096 AS BUTT NDWR	
OVD3396 AS BUTT NDWR	

- No drawer
- Oven Support Shelf recommended - order separately
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Double Oven Cabinet
2 Butt Doors • 1 Drawer



Number Shelves

84" High	0
90" High	1
93" High	2
96" High	2

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVD2784 BUTT	20 3/4"	25"	39"	54 1/4"
OVD3084 BUTT	23 3/4"	28"	39"	54 1/4"
OVD3384 BUTT	26 3/4"	31"	39"	54 1/4"

OVD2790 AS BUTT	20 3/4"	25"	38 3/8"	53 1/8"
OVD3090 AS BUTT	23 3/4"	28"	38 3/8"	53 1/8"
OVD3390 AS BUTT	26 3/4"	31"	38 3/8"	53 1/8"

OVD2793 AS BUTT	20 3/4"	25"	39"	54 1/4"
OVD3093 AS BUTT	23 3/4"	28"	39"	54 1/4"
OVD3393 AS BUTT	26 3/4"	31"	39"	54 1/4"

OVD2796 AS BUTT	20 3/4"	25"	39"	54 1/4"
OVD3096 AS BUTT	23 3/4"	28"	39"	54 1/4"
OVD3396 AS BUTT	26 3/4"	31"	39"	54 1/4"

OVD2784 BUTT	APC
OVD3084 BUTT	CFO
OVD3384 BUTT	FE
	RD


OVD2790 AS BUTT	
OVD3090 AS BUTT	
OVD3390 AS BUTT	

OVD2793 AS BUTT	
OVD3093 AS BUTT	
OVD3393 AS BUTT	

OVD2796 AS BUTT	
OVD3096 AS BUTT	
OVD3396 AS BUTT	

- One standard drawer
- Oven Support Shelf recommended - order separately
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Double Oven Cabinet
2 Butt Doors • 1 Large Drawer



Number Shelves

84" High	0
90" High	1
93" High	2
96" High	2

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVD2784 BUTT 1DDWR	20 3/4"	25"	33 3/16"	48 13/16"
OVD3084 BUTT 1DDWR	23 3/4"	28"	33 3/16"	48 13/16"
OVD3384 BUTT 1DDWR	26 3/4"	31"	33 3/16"	48 13/16"

OVD2790 AS BUTT 1DDWR	20 3/4"	25"	33 3/16"	48 13/16"
OVD3090 AS BUTT 1DDWR	23 3/4"	28"	33 3/16"	48 13/16"
OVD3390 AS BUTT 1DDWR	26 3/4"	31"	33 3/16"	48 13/16"

OVD2793 AS BUTT 1DDWR	20 3/4"	25"	33 3/16"	48 13/16"
OVD3093 AS BUTT 1DDWR	23 3/4"	28"	33 3/16"	48 13/16"
OVD3393 AS BUTT 1DDWR	26 3/4"	31"	33 3/16"	48 13/16"

OVD2796 AS BUTT 1DDWR	20 3/4"	25"	33 3/16"	48 13/16"
OVD3096 AS BUTT 1DDWR	23 3/4"	28"	33 3/16"	48 13/16"
OVD3396 AS BUTT 1DDWR	26 3/4"	31"	33 3/16"	48 13/16"

OVD2784 BUTT 1DDWR	APC
OVD3084 BUTT 1DDWR	CFO
OVD3384 BUTT 1DDWR	FE
	RD


OVD2790 AS BUTT 1DDWR	
OVD3090 AS BUTT 1DDWR	
OVD3390 AS BUTT 1DDWR	

OVD2793 AS BUTT 1DDWR	
OVD3093 AS BUTT 1DDWR	
OVD3393 AS BUTT 1DDWR	

OVD2796 AS BUTT 1DDWR	
OVD3096 AS BUTT 1DDWR	
OVD3396 AS BUTT 1DDWR	

- One large drawer
- Oven Support Shelf recommended - order separately
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Double Oven Cabinet
2 Butt Doors • 2 Drawers



Number Shelves

84" High	0
90" High	1
93" High	2
96" High	2

Cut Out Dimensions	A		B	
	Actual	Max.	Actual	Max.
OVD2784 BUTT 2DWR	20 3/4"	25"	33"	48 1/4"
OVD3084 BUTT 2DWR	23 3/4"	28"	33"	48 1/4"
OVD3384 BUTT 2DWR	26 3/4"	31"	33"	48 1/4"

OVD2790 AS BUTT 2DWR	20 3/4"	25"	32 1/8"	47 7/8"
OVD3090 AS BUTT 2DWR	23 3/4"	28"	32 1/8"	47 7/8"
OVD3390 AS BUTT 2DWR	26 3/4"	31"	32 1/8"	47 7/8"

OVD2793 AS BUTT 2DWR	20 3/4"	25"	33"	48 1/4"
OVD3093 AS BUTT 2DWR	23 3/4"	28"	33"	48 1/4"
OVD3393 AS BUTT 2DWR	26 3/4"	31"	33"	48 1/4"

OVD2796 AS BUTT 2DWR	20 3/4"	25"	33"	48 1/4"
OVD3096 AS BUTT 2DWR	23 3/4"	28"	33"	48 1/4"
OVD3396 AS BUTT 2DWR	26 3/4"	31"	33"	48 1/4"

OVD2784 BUTT 2DWR	APC
OVD3084 BUTT 2DWR	CFO
OVD3384 BUTT 2DWR	FE
	RD

OVD2790 AS BUTT 2DWR	
OVD3090 AS BUTT 2DWR	
OVD3390 AS BUTT 2DWR	

OVD2793 AS BUTT 2DWR	
OVD3093 AS BUTT 2DWR	
OVD3393 AS BUTT 2DWR	


OVD2796 AS BUTT 2DWR	
OVD3096 AS BUTT 2DWR	
OVD3396 AS BUTT 2DWR	

- Two standard drawers
- Oven Support Shelf recommended - order separately
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles

Utility Cabinet Accessories




Oven Support Shelf



OSS27
OSS30
OSS33

- Features 3/4" unfinished engineered wood shelf and six mounting clips with screws
- Will support up to 300 lbs when installed per included installation instructions
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials


Cabinet Tray Divider



TD3

- Field installation accessory
- Chrome finish
- Mounting hardware included
- Overall dimensions: 2 7/8" wide x 9 15/16" high x 11 3/4" deep
- Order Cabinet Tray Dividers individually
- For use in any 24" deep cabinet or Reduced Depth cabinet to RD-14"


Pantry Swing Out Kit



PCSK36

- Field installation accessory
- For use inside UT3624 X __ BUTT
- Can be used with PDSK18 and/or PSK36
- Natural finish unit features two fixed and ten adjustable shelves with chrome rail
- Overall dimensions: 25 3/4" wide x 45" high x 7 1/2" deep
- Not sized to fit cabinets with Reduced Depth
- Minimum filler width of 4 1/2" recommended for installation of a cabinet with this accessory next to deeper adjacent objects including cabinets, walls, appliances and countertops


Pantry Door Shelf Kit



PDSK18

- Field installation accessory
- For use inside UT3624 X __ BUTT
- Order each door unit separately
- Can be used with PCSK36 and/or PSK36
- Natural finish unit features one fixed and five adjustable shelves with chrome rail
- Overall dimensions: 12" wide x 45" high x 4" deep
- Not recommended for cabinets with Reduced Depth
- Minimum filler width of 4 1/2" recommended for installation of a cabinet with this accessory next to deeper adjacent objects including cabinets, walls, appliances and countertops

Utility Cabinet Shelf & Pilaster Kit





PSK36

APC
RD

- Field installation accessory
- Kit features four 9" deep shelves edge banded on front edge only, four 36" zinc pilasters, screws and installation instructions
- For use inside UT3624 X __ BUTT
- Field trimmable in width for use inside UT1824
- Can be used with PCSK36 and/or PDSK18

Tall Cabinet
Deep Roll Out Tray Kit or
4 Pack Deep Roll Out Tray Kit




	A
DROT12	7 3/4"
DROT15	10 3/4"
DROT18	13 3/4"
DROT24	19 3/4"
DROT30	25 3/4"
DROT36	31 3/4"

Deep Roll Out Tray Kit	RD
DROT12	
DROT15	
DROT18	
DROT24	
DROT30	
DROT36	

4 Pack Deep Roll Out Tray Kit
DROT12-4K
DROT15-4K
DROT18-4K
DROT24-4K
DROT30-4K
DROT36-4K

- Field installation accessory
- Natural finish dovetail drawer with MDF bottom
- Includes Deep Roll Out Tray, all glide hardware and installation instructions

Tall Cabinet
Adjustable Shelf or 4 Pack Shelf Kit




Adjustable Shelf	24" Deep	APC
■ S1212	■ S1224	■ MI
■ S1512	■ S1524	■ RD
■ S1812	■ S1824	
■ S2412	■ S2424	
■ S3612	S2724	
	■ S3024	
	S3324	
	■ S3624	

4 Pack Shelf Kit	12" Deep	24" Deep
■ SK1212	■ SK1224	
■ SK1512	■ SK1524	
■ SK1812	■ SK1824	
■ SK2412	■ SK2424	
■ SK3612	SK2724	
	■ SK3024	
	SK3324	
	■ SK3624	

- Field installation accessory
- 3/4" engineered wood
- Edge banded on front edge only
- CLIP LOCK shelf rests included


Heat Shield Kit



HSK

- Field installation accessory
- Heat Shield Kit (HSK) recommended for thermofoil-wrapped door styles
- Protects doors and drawer fronts from adjacent heat source (built-in ovens, under counter ovens, drop-in or free-standing ranges)
- Kit features:
 - Two 1/8" metal heat shields finished to match cabinet exterior
 - One strip of QM8 WD molding shield finished to match cabinet exterior

Desk Cabinets & Bookshelves



Dimensions

Width	Height	Depth
12" to 36"	28 1/2" to 96"	12" to 24" (Reduced Depth optional on select cabinets)

SKU Coding

DDO	18	21
Cabinet Type (e.g., DDO = Desk Door Cabinet)	width in inches	depth in inches

Construction Options & Modifications

- APC. All Plywood Construction
- CFO. Cabinet Front Only
- FE. Furniture Ends
- ID. Increased Depth (Bookshelves Only)
- PE. Plywood Ends
- RD. Reduced Depth
- RTK. Recessed Toe Kick